

<u>Company Name</u>	<u>Dynamic Specialty Vehicles</u>	<u>First Truck Centre Vancouver</u>	<u>The Lion Electric Co</u>	<u>Western Canada IC Bus Inc.</u>
Bus Unit Price				
76 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	118312	115260		111385
70 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	117548	113970	All our Bus are Type C Electric. Spécifications are avalables Price range is between 265 000 to 325 000 based on the autonomie	110955
64 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	115469	112890		109345
58 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	114193	111280		107905
52 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	113609	109960		106665
46 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	111546	109370		104525
34 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	105856	107680		101575
Base Bus Specifications: Body				
1a. All passenger seats must be a convertible type with the capability of easy change over for future use of three-point seat belts or integrated child safety seats. These seats must conform to all current regulations and standards, and must be spaced to meet seat spacing requirements with above mentioned retrofits. THIS IS A MANDATORY REQUIREMENT IN BC AND NO SUBSTITUTES ARE PERMITTED.	All seats are convertible type. Easily converts from one seat type to another by removing and reinstalling 4 bolts. There are 4 interchangeable configurations: Available in 3-point seat belt, 3-point child restraint, lap-belt ready, and child restraint.	S3C convertible seating provided	Yes	Yes

<u>Company Name</u>	<u>Dynamic Specialty Vehicles</u>	<u>First Truck Centre Vancouver</u>	<u>The Lion Electric Co</u>	<u>Western Canada IC Bus Inc.</u>
1a. Additional Information	The seat cushion tilts up, allowing for easy access between seats for easy cleaning with a custom release to raise and lower the cushion. Cushions can be reused for all convertible seats except when changing to or from child restraint seat. Automotive technology is being applied to seat back frames including: All steel construction, a wire grid back support in lieu of a stamped steel back pan, integrated support wires for seat cover attachment, removal and installation.		Available within 6 wk from order	All Seats are convertible to 3-Point Seatbelt Seats or alternatively Child Restraint Seats with appropriate seat spacing built-in.
1. Four (4) additional power supply feeds at body power source.	Yes	Yes	Yes	Yes
1. Additional Information		Customer access power block provided		
2. Crossing arm deactivation switch	Yes	Yes	Yes	Yes
2. Additional Information				
3. Full power steering - minimum 18" diameter steering wheel Tilt steering column telescopic	Yes	Yes	Yes	Yes
3. Additional Information				
4. HORNS Dual electric	Yes	Yes	Yes	Yes
4. Additional Information				
5. Instruments: Dash mounted tach engine hr meter voltmeter speedometer in kmh c/w odometer in km fuel oil pressure transmission temperature engine temperature gauges (2) air pressure gauges	Yes	Yes	Yes	Yes
5. Additional Information				
6. Low air warning - light and buzzer	Yes	Yes	Yes	Yes
6. Additional Information				
7. Warning light and buzzer for high water temperature / low oil pressure	Yes	Yes	Yes	Yes
7. Additional Information				
8. LIGHTS: Front headlights: HD All exterior lights to be LED Cluster lights: front and rear - six (6) in total LED 8 light system non-sequential with master switch	Yes	Yes	Yes	Yes
8. Additional Information				
9. Tilt hood for engine access	Yes	Yes	Yes	Yes
9. Additional Information				
10. Engine noise insulator (firewall and hood)	Yes	Yes	Yes	Yes

<u>Company Name</u>	<u>Dynamic Specialty Vehicles</u>	<u>First Truck Centre Vancouver</u>	<u>The Lion Electric Co</u>	<u>Western Canada IC Bus Inc.</u>
10. Additional Information				
11. Body insulation including walls ceiling and roof bows - to be fiberglass or equivalent Dust intrusion package on underside of bus up to floor joint	Yes	Yes	Yes	Yes
11. Additional Information				
12. WINDSHIELD Laminated safety glass tinted Please state what is offered.	Yes	Yes	Yes	Yes
12. Additional Information	4 piece laminated tinted flat glass	Tinted safety glass, curved and bonded windshield provided		3-Piece Flat
13. WINDOWS Passenger windows split sash type tinted throughout. Thermal where required Driver's window sliding type thermal pane lockable Emergency windows evenly spaced.	Yes	Yes	Yes	Yes
13. Additional Information				
14. Exterior Lettering Six Inch - (Purchaser name) both sides at belt line	Yes	Yes	Yes	Yes
14. Additional Information	As Specified	As specified	Available	As Specified
15. Four Inch - Bus Number two front corners and opposite rear license plate	Yes	Yes	Yes	Yes
15. Additional Information				
16. Two Inch - Capacity GVW (Purchaser name) on side panel back of entrance door and side panel below driver.	Yes	Yes	Yes	Yes
16. Additional Information				
17. Floor 5/8 plywood subfloor or equivalent secured with screws only (no nails) water-proofed and sealed at joints with silicone sealer including floor to wall seams; floor covering and entry steps	Yes	Yes	Yes	Yes
17. Additional Information				
18. Vandal lock for Emergency and Entrance Doors	Yes	Yes	Yes	Yes
18. Additional Information				
19. Heavy duty entrance door control - air or electric operated Entrance Door must be outward opening	Yes	Yes	Yes	Yes
19. Additional Information		Electric provided air option available		
20. Two (2) auxiliary 6" electric defroster fans Separate switches on panel	Yes	Yes	Yes	Yes
20. Additional Information				
21. Driver's dome light on separate switch.	Yes	Yes	Yes	Yes
21. Additional Information				
22. Rear dome lights on separate switches (with dimmers if available)	Yes	Yes	Yes	Yes
22. Additional Information		Front and rear half of dome lights on separate switches		

<u>Company Name</u>	<u>Dynamic Specialty Vehicles</u>	<u>First Truck Centre Vancouver</u>	<u>The Lion Electric Co</u>	<u>Western Canada IC Bus Inc.</u>
23. AM/FM CD RADIO W/PA Flush mounted speakers to match bus 23. Additional Information	Yes	Yes AM/FM/CD/AUX/PA	Yes	Yes
24. Driver's seat to be deluxe high back air seat fully adjustable - 6-way with lumbar support and fold down arm rests. Air foam rubber filled with heavy duty covering cloth fabric 24. Additional Information	Yes	Yes	Yes	Yes
25. EMERGENCY EQUIPMENT COMPARTMENT Above windshield; all emergency equipment to meet standards 25. Additional Information	Yes	Yes FAK and Fire Extinguisher in overhead, triangles on vestibule floor	Yes	Yes
26. Mud flaps front Mud flaps rear with rubber fender skirts 26. Additional Information	Yes	Yes	Yes	Yes
27. MIRRORS (EXTERIOR) Right and left side primary and convex mirrors; remote adjustable Exterior convex crossovers self-defrosting mounted on right and left sides of hood 27. Additional Information	Yes	Yes	Yes	Yes
28. Two (2) LED stop arms with strobe lights (red) air operated one (1) front mounted (1) rear mounted. Both with wind guards 28. Additional Information	Yes	Yes	Yes	Yes
29. Wet arm windshield wipers intermittent / delay preferred 29. Additional Information	Yes	Yes	Yes	Yes
30. HEATERS Two (2) 80 000 BTU under seat heaters one (1) right front step well heater 50 000 BTU and one (1) front defrost 90 000 BTU Specify if different in Smaller capacity buses.. 30. Additional Information	Yes	Yes more or less heaters available depending on bus size and District climate	Yes	Yes All Sizes Equipped with Specified Requirement
31. Light coloured rubber floor covering and entrance steps. Specify colour. 31. Additional Information	Yes Grey	Yes Grey	Yes	Yes Grey
32. Seat spacing minimum 24" knee clearance Frame seat belt ready 32. Additional Information	Yes	Yes	Yes	Yes
33. Aluminized side panelling 33. Additional Information	Yes	Yes Galvalume interior side walls	Yes	Yes

<u>Company Name</u>	<u>Dynamic Specialty Vehicles</u>	<u>First Truck Centre Vancouver</u>	<u>The Lion Electric Co</u>	<u>Western Canada IC Bus Inc.</u>
34. 77" minimum interior headroom at highest point. Please state Headroom	Yes	Yes	Yes	Yes
34. Additional Information	77" Headroom	78" headroom standard		78"
35. Interior mirror - minimum 6" up to 10" x 30" Sun visor - Plexiglas 6" x 30"	Yes	Yes	Yes	Yes
35. Additional Information		6x30 provided		
36. Two (2) roof emergency hatches / vents	Yes	Yes	Yes	Yes
36. Additional Information				
37. Right side luggage compartment 84" preferred Specify largest size available based on body size	Yes	Yes	Yes	Yes
37. Additional Information	77P - 102" 71P - 102" 65P - 102" 60P - 102" 53P - 82" 47P - 58" 35P - N/A			87" 76 & 70p; 79" 64p; 66" 58p; Left Avail on 46p & 34p. 76/70 Max 91"
38. Four (4) additional power supply feeds at body power source.	Yes	Yes	Yes	Yes
38. Additional Information		Customer access power block provided		
Base Bus Specifications: Chassis				
1. Chassis and Body Year	2020 Blue Bird	2020 Thomas Built Bus	2020 or 2021	International, 2020
2. ENGINE Diesel Minimum 240 HP @ 620 ft/lbs torque c/w engine brake Minimum 6 cylinder turbocharged. Minimum must be met or exceeded State what is supplied in base	Yes	Yes	Yes	Yes
2. Additional Information	Cummins ISB 250 HP @ 660 ft/lb torque with VGT brake	250hp/620tq with VGT brake	E Bus 230 kW / 310 HP	Cummins ISB 250HP/660 LB-FT Torque with VGT Brake
3. Automatic Allison 2500 to match engine torque rating with filter and transmission cooler (6 speed option avail) Must include Allison extended warranty for five (5) years and Allison TranSynd fluid	Yes	Yes	No	Yes
3. Additional Information	6-Spd Allison Avail Optionally @ N/C Eaton Procision 7-Spd Avail @ N/C	7yr warranty on 2500 series transmission	N/A for Electric bus	7 Yr/Unlimited KM Warranty @ N/C 6-Spd Avail @ N/C
4. Wheelbase up to 280" - Specify for Each body size	Yes	Yes	Yes	Yes
4. Additional Information	35P - 169" 47P - 189" 53P - 217" 60P/65P - 252" 71P - 273" 77P - 280"	35p-158" / 47p-199" / 53p-199" / 59p-219" / 65p-238" / 71p-259" / 77p-279"		76p: 276" 70p: 276" 64p: 254" 58p: 236" 52p: 217" 46p: 193" 34p: 169"
5. Remote air tank drains	Yes	Yes	No	Yes
5. Additional Information				
6. Rear tow hooks	Yes	Yes	Yes	Yes
6. Additional Information				
7. Wheels - Disc hub piloted	Yes	Yes	Yes	Yes
7. Additional Information				
8. Tires - Six (6) -11R22.5 Michelin XZE 2 preferred	Yes	Yes	Yes	Yes
8. Additional Information			Options	

<u>Company Name</u>	<u>Dynamic Specialty Vehicles</u>	<u>First Truck Centre Vancouver</u>	<u>The Lion Electric Co</u>	<u>Western Canada IC Bus Inc.</u>
9. Rear Axle - Capacity: 19 500 lb Maximum speed required: 110 kmh Cruise control set at 100 kmh 21 000 lb air ride suspension Specify Lighter axle for smaller capacity bus if warranted.	Yes	Yes	Yes	Yes
9. Additional Information	21,000 lb rear axle included credit will be applied if lighter axle selecte	21000 rear axle standard, lighter axle available if desired by district		17,800 Axle Avail for <52p, Credit if Selected
10. FRONT AXLE 10 000 lb minimum 10 000 lb spring suspension Specify Lighter axle for smaller capacity bus if warranted.	Yes	Yes	Yes	Yes
10. Additional Information	10,000 lb front axle included credit will be applied if lighter axle chosen			8,000 Axle Avail for <52p, Credit if Selected
11. AIR BRAKES S cam W/ABS Min. 13.2 cfm compressor Spring brakes for emergency and parking Auto slack adjustors long stroke Air dryer 16-1/2 x 5 Front 16-1/2 x 7 Rear backing plates	Yes	Yes	No	Yes
11. Additional Information			Option	
12. ALTERNATOR Heavy duty 200 amp alternator minimum State size and make	Yes	Yes	Yes	Yes
12. Additional Information	280 amp, brushless Leece-Neville	Delco Remy 200amp		Leece-Neville 210 Amp
13. BATTERY Three (3) Group 31 batteries to be mounted in body side compartment	Yes	Yes	No	Yes
13. Additional Information			Option	
14. Back-up alarm 97 dB minimum	Yes	Yes	Yes	Yes
14. Additional Information			97 dB	
15. High capacity dry type air cleaner c/w air restriction gauge to be mounted on dash or air intake	Yes	Yes	No	Yes
15. Additional Information		intake mounted restriction gauge		
16. Electric block heater (min 1200 watt) and in pan Oil Pan heater (350 watt)	Yes	Yes	No	Yes
16. Additional Information	750 watt engine block heater per Cummins	750watt as per Cummins		
17. Diesel fired coolant pre heater (15-20 000 BTU) with 24 hour 7 day programmable timer	Yes	Yes	No	Yes
17. Additional Information				
18. Heavy Duty hoses to meet current coolant standards.	Yes	Yes	Yes	Yes
18. Additional Information				
19. Heated fuel water separator with primer pump installed in engine compartment	Yes	Yes	No	Yes
19. Additional Information				
20. Oil lubed front wheel bearings or sealed bearings	Yes	Yes	Yes	Yes
20. Additional Information				

<u>Company Name</u>	<u>Dynamic Specialty Vehicles</u>	<u>First Truck Centre Vancouver</u>	<u>The Lion Electric Co</u>	<u>Western Canada IC Bus Inc.</u>
21. SERVICE MANUAL AND DIAGNOSTIC SOFTWARE Service manual for engine and chassis Engine and body diagnostics software or licensing	Yes	Yes	Yes	Yes
21. Additional Information	Service Manual DVD supplied in dash diagnostics	Parts & Service info on-line. Engine diagnostic software 1 per District		
22. Supply line setting ticket	Yes	Yes	Yes	Yes
22. Additional Information				
23. Heater cut off valve at engine	Yes	Yes	No	Yes
23. Additional Information				
24. FUEL TANK Minimum 60 gallon capacity (226 liter) Located aft of rear axle and between frame rails (filler on right side) Non-Locking Fuel tank door.	Yes	Yes	No	Yes
24. Additional Information				
25. Electronic Stability Control	Yes	Yes	Yes	Yes
25. Additional Information				
Options Prices				
1 - One (1) additional spare tire mounted	Additional	Additional	Additional	Additional
1 - If Additional, please indicate the Price	709	750	900	775
2 - Air horn roof mounted	Additional	Additional	Not Available	Additional
2 - If Additional, please indicate the Price	139	129		195
3 - Current Gatekeeper digital video system supplied and installed with 2 cameras	Additional	Additional	Additional	Additional
3 - If Additional, please indicate the Price	1789	1689	1000	2069
4 - Current Seon TL4 digital video system supplied and installed with 2 cameras	Additional	Additional	Additional	Additional
4 - If Additional, please indicate Price	1989	2094		1969
5 - Pre-wiring for 2-way radio and antenna, power and ground thru noise suppression switch.	Additional	Additional	Included	Additional
5 - If Additional, please indicate Price	29	252		90
6 - Driver's storage compartment overhead left side	Additional	Included	Included	Additional
6 - If Additional, please indicate Price	119			210
7 - Installed Zonar V3: Fleet GPS Tracking and Vehicle Diagnostics System with EVIR handheld device and all accessories. Include pricing for 2010 or 2020 handheld devices	Additional	Additional	Not Available	Additional
7 - If Additional, please indicate Price	895	830		850
8 - Zonar V3: Fleet GPS Tracking and Vehicle Diagnostics System Installed	Additional	Included	Not Available	Additional
8 - If Additional, please indicate Price	616			525
9 - Driver's clipboard storage accessible from drivers seat	Additional	Not Available	Included	Included
9 - If Additional, please indicate Price	14			
10 - Traction control through ABS	Included	Additional	Included	Included
10 - If Additional, please indicate Price		373		
11 - Limited Slip Rear Axle	Additional	Additional	Included	Not Available

<u>Company Name</u>	<u>Dynamic Specialty Vehicles</u>	<u>First Truck Centre Vancouver</u>	<u>The Lion Electric Co</u>	<u>Western Canada IC Bus Inc.</u>
11 - If Additional, please indicate Price		1295	1100	
12 - Driver controlled differential lock	Additional			Not Available
12 - If Additional, please indicate Price		843	850	
13 - Automatic Greasers Minimum 12 grease points	Additional			Not Available
13 - If Additional, please indicate Price		2850	2833	2835
14 - Allison 3000 Series automatic transmission	Additional			Not Available
14 - If Additional, please indicate Price		4165	4895.25	5500
15 - Acoustic ceiling panels throughout	Additional			Included
15 - If Additional, please indicate Price		590	600	1200
16 - Winter front and bug screen	Additional			Included
16 - If Additional, please indicate Price		225	147	285
17 - Webasto Scholastic heater	Additional			Included
17 - If Additional, please indicate Price		1304	1750	1620
18 - 10R22.5 Tires instead of base 11R22.5	Additional			Not Available
18 - If Additional, please indicate Price		-79	-190	1
19 - Interior mirror - 10" x 30" Mirror adjustable no windshield obstruction	Additional			Included
19 - If Additional, please indicate Price		19	31	60
20 - Interior-Exterior intercom	Additional			Included
20 - If Additional, please indicate Price		39	149	70
21 - Emergency roof hatch vent with exhaust fan	Additional			Included
21 - If Additional, please indicate Price		342	340	195
22 - Tinted Windows throughout	Included			Included
22 - If Additional, please indicate Price				
23 - Laptop and connectors with applicable programming and software including training for each style of bus purchased. ABS software.	Additional			Included
23 - If Additional, please indicate Price		2750	2750	2500
24 - Wheelchair lift specify OEM in attached documentation. Supply and install wheelchair lift with one chair position across from lift inclusive of tie down system, includes Ricon lift Qstraint tie down system and floor pockets for one chair	Additional			Additional
24 - If Additional, please indicate Price		7364	6225	3000
25 - Track seating per wheelchair space	Additional			Additional
25 - If Additional, please indicate Price		719	809	1000
26 - Air operated disc brakes	Additional			Not Available
26 - If Additional, please indicate Price		1795	2550	1750
27 - Integrated Child Seats/Per Seat - Attach information details	Additional			Not Available
27 - If Additional, please indicate Price		600	352	595
28 - Adjustable Foot Pedals	Additional			Included
28 - If Additional, please indicate Price		972	650	795
29 - Telescopic Steering	Included			Included
29 - If Additional, please indicate Price			186	375

<u>Company Name</u>	<u>Dynamic Specialty Vehicles</u>	<u>First Truck Centre Vancouver</u>	<u>The Lion Electric Co</u>	<u>Western Canada IC Bus Inc.</u>
30 - Hydraulic brake school bus with air seat and air suspension 30 - If Additional, please indicate Price	Additional -2597	Additional 535	Included	Additional 2350
31 - Hydraulic brake school bus (no air components) 31 - If Additional, please indicate Price	Additional -3701	Additional -1000	Included	Additional 1000
32 - Hybrid Upgrade - specify system details with attached documentation 32 - If Additional, please indicate Price	Not Available	Not Available	Not Available	Not Available
33 - Engine Upgrade - Propane (LPG) 33 - If Additional, please indicate Price	Additional 4500	Additional 14980	Not Available	Additional 7000
34 - Engine Upgrade - Compressed Natural Gas (CNG). Please attach any supporting documentation. 34 - If Additional, please indicate Price	Additional 49245	Additional 49500	Not Available	Not Available
35 - In-service training for chassis and body maintenance procedures at Purchaser's facility 35 - If Additional, please indicate Price	Additional 750	Additional 850	Included	Additional 800
36 - Interior mirror 8 X 30 inches, adjustable, no windshield blockage 36 - If Additional, please indicate Price	Not Available	Additional 31	Included	Not Available
37 - Door handle on exterior of entry door 37 - If Additional, please indicate Price	Additional 35	Additional 31	Included	Included
38 - Move to one body size larger with same seat count for increased knee room 38 - If Additional, please indicate Price	Additional	Additional 1265.81	Included	Additional 700
39 - Zonar 2020 System 39 - If Additional, please indicate Price	Additional 1521	Additional 1150	Not Available	Additional 1550
41 - Vendor added option 41 - Please indicate price	Gas Engine - Ford V10 6.8L 3 Valve -7500	Detroit Diesel DD5 Engine - 240hp/660tq -1850	The Lion Electric co. OEM for Electric School bus Price from 265 K\$ for 100 KM range to 250 KM range	Gasoline-Powered 8.8l with Allison 2500 Transmission -4500
42 - Vendor added option 42 - Please indicate price	Cummins ISB 260HP @ 660 lb/ft Torque 476			Bendix Wingman Advanced Collision Mitigation System \$995//Bendix Wingman Fusion Collision Mitigation with Lane Departure // \$3150 Details in Attachment 995