

Company Name	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
Bus Unit Price			
Type D RE (80+ Passenger or Maximum Capacity). All units and components must meet Federal and Provincial regulations and requirements and current D250.	149537	150580	144125
Type D FE (80+ Passenger or Maximum Capacity). All units and components must meet Federal and Provincial regulations and requirements and current D250.	138687	143176	Not Available
Base Bus Specifications: Body			
1a. Additional Information	All seats are convertible type. Easily converts from one seat type to another by removing and reinstalling 4 bolts. There are 4 interchangeable configurations: Available in 3-point seat belt, 3-point child restraint, lap-belt ready, and child restraint. The seat cushion tilts up, allowing for easy access between seats for easy cleaning with a custom release to raise and lower the cushion. Cushions can be reused for all convertible seats except when changing to or from child restraint seat. Automotive technology is being applied to seat back frames including: All steel construction, a wire grid back support in lieu of a stamped steel back pan, integrated support wires for seat cover attachment, removal and installation.	S3C convertible seating provided	Yes
All passenger seats must be a convertible type with the capability of easy change over for future use of three-point seat belts or integrated child safety seats. These seats must conform to all current regulations and standards, and must be spaced to meet seat spacing requirements with above mentioned retrofits. THIS IS A MANDATORY REQUIREMENT IN BC AND NO SUBSTITUTES ARE PERMITTED.			All Seats are convertible to 3-Point Seatbelt Seats or alternatively, Child Restraint Seats with appropriate seat spacing built-in.
1. Full power steering - minimum 18" diameter steering wheel Tilt steering column telescopic 1. Additional Information	Yes	Yes	Yes
2. Aluminized Interior Steel Walls Head Room - 77" Subfloor - 5/8" plywood Rubber covered light coloured ribbed in aisle Floor materials to be covered to sidewalls 2. Additional Information	Yes 77" headroom	Yes Galvalume interior walls 78" headroom	Yes
3. Wheel housings to be molded type and fully covered All joints to be silicone sealed - including sidewalls and perimeter 3. Additional Information	Yes	Yes	Yes
4. Mud flaps Installed on front and on rear wheels, rubber fenderettes on all four (4) wheel wells 4. Additional Information	Yes	Yes	Yes
5. Exterior paint to meet national school bus yellow standard, black rub rails, light colour interior 5. Additional Information	Yes	Yes	Yes
6. Exterior Lettering 6" - (Purchaser name) both sides at belt line 4" - Bus # two front corners and opposite license plate rear 6. Additional Information	Yes	Yes	Yes
7. Exterior Lettering con't 2" - Capacity GVW (Purchaser name) on side panel back of entrance door and side panel below driver	Yes	Yes	Yes

Company Name	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
7. Additional Information			
8. Internal signs over windshield - No Smoking - No Standees	Yes	Yes	Yes
8. Additional Information			
9. Body fully undercoated for noise and rust protection	Yes	Yes	Yes
9. Additional Information			
10. Crossing arm deactivation switch	Yes	Yes	Yes
10. Additional Information			
11. Tinted windshield, wipers dual electric with intermittent control Windshield washers with wet arm, windshield washer tank 2 litres minimum	Yes	Yes	Yes
11. Additional Information			
12. Split sash side windows, tinted	Yes	Yes	Yes
12. Additional Information			
13. All emergency exits to be vandal lock equipped	Yes	Yes	Yes
13. Additional Information			
14. Two (2) roof emergency escape hatches	Yes	Yes	Yes
14. Additional Information	As Specified	2 roof hatches provided	As Specified
15. Entrance door to be air or electric operated with an emergency release valve mounted outside. Both doors heavy duty split type windows in upper and lower sections to open outward	Yes	Yes	Yes
15. Additional Information		Electric door provided / air operated available	
16. Entrance steps covered white trimmed with assist rails right and left side	Yes	Yes	Yes
16. Additional Information			
17. Body insulation including walls ceiling and roof bows - to be fibreglass or equivalent Dust intrusion package on underside of bus up to floor joint	Yes	Yes	Yes
17. Additional Information			
18. Noise abatement to be installed for engine firewall and driver's area	Yes	Yes	Yes
18. Additional Information		Acoustic ceiling at the front and rear of the bus	
19. Engine compartment fully insulated with sound barrier insulation and covered with galvanized or aluminized metal panels to withstand engine degreaser compounds and high pressure steam cleaning	Yes	Yes	Yes
19. Additional Information			
20. Power to accessory side of ignition	Yes	Yes	Yes
20. Additional Information			
21. Circuit breakers	Yes	Yes	Yes
21. Additional Information			
22. Gauges for the following: voltmeter; oil pressure; water temperature; air pressure; speedometer trip odometer tachometer hour meter	Yes	Yes	Yes
22. Additional Information			

Company Name	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
23. Instrument panel shall be illuminated and include text light indicators monitoring both the amber and red light warning activations; low coolant level; cruise control activation cruise control	Yes	Yes	Yes
23. Additional Information			
24. 12 volt power point in switch panel	Yes	Yes	Yes
24. Additional Information			
25. Back-up alarm	Yes	Yes	Yes
25. Additional Information			
26. Two (2) LED strobing stop arms - mounted front and rear driver's side with wind guards.	Yes	Yes	Yes
26. Additional Information			
27. Driver alert system installed on rear engine door	Yes	Yes	Yes
27. Additional Information			
28. Front headlights HD, all exterior lights to be LED cluster lights: front and rear - six (6) in total LED 8 light system non-sequential with master switch and visors	Yes	Yes	Yes
28. Additional Information			
29. Two (2) rows of interior lights front and rear half on separate dimmer switches	Yes	Yes	Yes
29. Additional Information			
30. One (1) driver's light on separate switch	Yes	Yes	Yes
30. Additional Information			
31. Interior rear view mirror and sun shield. Minimum 6" to maximum 10" x 30" with no obstruction of windshield	Yes	Yes	Yes
31. Additional Information		6x30 provided / 8x30 option available	
32. Right and left side primary and convex mirrors; remote adjustable Exterior convex crossovers self-defrosting mounted on right and left sides	Yes	Yes	Yes
32. Additional Information			
33. Two (2) heavy duty auxiliary windshield defroster fans switched separately one for each windshield. To cover full width of windshield and drivers left side window. Heavy duty defroster motors.	Yes	Yes	Yes
33. Additional Information			
34. Defroster approximately 90 000 BTU capable of clearing front windows	Yes	Yes	Yes
34. Additional Information			
35. Three (3) under seat heaters mounted left side approximately 80 000 BTU; spaced for maximum heat distribution efficiency All heater hoses to be heavy duty to meet current coolant standards	Yes	Yes	Yes
35. Additional Information			
36. Each heating unit to be individually switched and to have two (2) heavy duty motors and fans with removable grills for quick service and cleaning.	Yes	Yes	Yes
36. Additional Information			

Company Name	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
37. One (1) heater unit for driver's control area (transit type) - 10 000 BTU min. 37. Additional Information	Yes	Yes	Yes
38. First Aid kit, fire extinguisher, flare kit, all mounted in overhead compartment. 38. Additional Information	Yes	Yes	Yes
39. Driver's seat to be deluxe high back air seat fully adjustable - 6-way with lumbar support and fold down arm rests. Air foam rubber filled with heavy duty covering cloth fabric. 39. Additional Information	Yes	Yes	Yes
40. Passenger seats to be seat belt ready 3x3 seating on both sides. Seats to be wall mounted on one side All seat coverings to be HD fire resistant gray vinyl. 40. Additional Information	Yes	Yes	Yes
41. Pre-wired power and ground thru noise suppression circuit for 2-way radio 41. Additional Information	Yes	Yes	Yes
42. AM/FM/PA radio and CD player 42. Additional Information	Yes	Yes	Yes
43. PA system with six (6) interior and one (1) exterior speakers separately controlled 43. Additional Information	Yes	Yes	Yes
Base Bus Specifications: Chassis			
1. Chassis and Body Year	2020 Blue Bird	2020	International, 2020
2. Engine - Min. 250 HP diesel @ 620 ft lb torque c/w engine brake Minimum must be met or exceeded 2. Additional Information	Yes Cummins ISB 250 HP @ 660 ft/lb torque with VGT brake	Yes	Yes Cummins L9 260 HP/720 LB-FT Torque with VGT Brake **SLEEVED ENGINE**
3. Allison 3000 Transmission 6-speed electronic control, synthetic trans fluid five (5) year warranty c/w cab-mounted temperature gauge and oil level sensor Include DOC software and connectors 3. Additional Information	Yes	Yes	Yes
4. Air Brakes - Rear drum: 16½" x 8"; Front drum: 16½" x 6" with dust shields. Auto slack adjusters, long stroke S cam type brakes. ABS included. Auxiliary Equipment tank, right hand remote drain 4. Additional Information	Yes Rear 16.5" x 8.62"	Yes 16.5 x 8 5/8ths rear brakes provided	Yes
5. High capacity dry type air cleaner c/w air restriction gauge to be mounted on dash or air intake 5. Additional Information	Yes	Yes	Yes
6. Electric block heater (min 1200 watts) external receptacle for block heater mounted in front of bus 6. Additional Information	Yes 750 watt as per Cummins	Yes 750 Watt as per Cummins	Yes
7. Antifreeze to -34; surge tank with sight glass 7. Additional Information	Yes	Yes	Yes

Company Name	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
8. Heavy duty on/off thermostatically controlled hydraulic or mechanical fan	Yes	Yes	Yes
8. Additional Information		Mechanical fan drive	
9. 200 amp high output alternator, low cut in	Yes	Yes	Yes
9. Additional Information	280 amp, brushless Leece-Neville	Leece Neville 200amp	
10. Three (3) heavy duty 12 volt commercial batteries with enclosed compartment left hand side mounted at closest point to engine starter on roller slide-out tray 950 CCA each (Group 31)	Yes	Yes	Yes
10. Additional Information			
11. Front axle - 14 000 lb taper leaf set back. Rear axle - 23 000 lb - performance chart must be supplied Rear axle ratio - Please specify options available Specify turning radius.	Yes	Yes	Yes
11. Additional Information	Front Axle 14600 lb Rear Axle 23000 lb Rear Axle Ratio 5.29 Option 6.17/6.5		See Attachment for RAR & Turning Radius
12. Air suspension rear c/w levelling valve(s). Heavy duty shock absorbers.	Yes	Yes	Yes
12. Additional Information			
13. Tires - Two (2) -11R22.5 Michelin XZE 2 on front preferred, Four (4) -11R 22.5 Michelin XDN2 on rear preferred, disc wheels 10 stud hub pilot.	Yes	Yes	Yes
13. Additional Information			
14. 375 liter fuel tank located between frame rails, non locking fuel filler door.	Yes	Yes	Yes
14. Additional Information			
15. Tow hooks front and rear, heavy duty bumper.	Yes	Yes	Yes
15. Additional Information			
16. Battery solenoid switch to be connected to ignition switch for isolation of all of the switch panel circuitry.	Yes	Yes	Yes
16. Additional Information			
17. Diesel fired coolant pre heater (15-20 000 BTU) with 24 hour 7 day programmable timer.	Yes	Yes	Yes
17. Additional Information			
18. Heavy duty hoses to meet current coolant standards.	Yes	Yes	Yes
18. Additional Information			
19. All shut off valves are ¾ " ball type with 2 at engine block.	Yes	Yes	Yes
19. Additional Information			
20. Engine and body diagnostics software or licensing.	Yes	Yes	Yes
20. Additional Information	Service Manual DVD supplied in dash diagnostics		
21. Service Manual for engine and chassis	Yes	Yes	Yes
21. Additional Information	Service Manual DVD supplied in dash diagnostics	Web based	
22. Electronic Stability Control	Yes	Yes	Yes
22. Additional Information			
Options Prices			
1 - One (1) additional spare tire mounted.	Additional	Additional	Additional
1 - If Additional, please indicate the Price		757	880
2 - Air horn, roof mounted.	Additional	Additional	Additional
			775

Company Name	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
2 - If Additional, please indicate the Price		148	121
3 - Current Gatekeeper digital video system supplied and installed with 2 cameras.	Additional	Additional	Additional
3 - If Additional, please indicate the Price		1798	1689
4 - Current Seon TL4 digital video system supplied and installed with 2 cameras.	Additional	Additional	Additional
4 - If Additional, please indicate Price		1989	2094
5 - Driver's storage compartment, overhead left side.	Additional	Additional	Additional
5 - If Additional, please indicate Price		127	106
6 - Installed Zonar V3: Fleet GPS Tracking and Vehicle Diagnostics System with EVIR hand held device and all accessories. Include pricing for 2010 or 2020 hand held devices.	Additional	Additional	Additional
6 - If Additional, please indicate Price		895	830
7 - Zonar V3: Fleet GPS Tracking and Vehicle Diagnostics System installed.	Additional	Included	Additional
7 - If Additional, please indicate Price		616	525
8 - Drivers Clipboard Storage, accessible from drivers seat.	Additional	Included	Included
8 - If Additional, please indicate Price		15	
9 - Traction control through ABS.	Included	Additional	Included
9 - If Additional, please indicate Price			650
10 - Driver controlled differential lock.	Additional	Not Available	Not Available
10 - If Additional, please indicate Price		900	
11 - Limited slip rear axle.	Additional	Not Available	Not Available
11 - If Additional, please indicate Price		1410	
12 - Automatic greasers, minimum of 12 grease points.	Additional	Additional	Additional
12 - If Additional, please indicate Price		2850	2833
13 - Acoustic ceiling panels throughout.	Additional	Additional	Included
13 - If Additional, please indicate Price		630	727.6
14 - Interior-Exterior intercom.	Additional	Additional	Included
14 - If Additional, please indicate Price		39	149
15 - Interior mirror - 10" x 30" mirror, adjustable, no windshield obstruction.	Additional	Additional	Additional
15 - If Additional, please indicate Price		20	93
16 - Webasto Scholastic Heater	Additional	Additional	Additional
16 - If Additional, please indicate Price		1392	1750
17 - Emergency roof hatch vent with exhaust fan.	Additional	Additional	Additional
17 - If Additional, please indicate Price		365	260
18 - Wheelchair lift specify OEM. Supply and install wheelchair lift with one chair position across from lift inclusive of tie down system.	Additional	Additional	Additional
18 - If Additional, please indicate Price		7364	6524.86
19 - Track seating per wheelchair space.	Additional	Additional	Additional
19 - If Additional, please indicate Price		869	809
20 - Tinted windows throughout.	Included	Included	Included
20 - If Additional, please indicate Price			
21 - Engine upgrade - Compressed Natural Gas (CNG)	Additional	Additional	Not Available
21 - If Additional, please indicate Price		60752	49500

Company Name	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
22 - Hybrid upgrade - specify	Not Available	Not Available	Not Available
22 - If Additional, please indicate Price			
23 - Engine upgrade - Propane (LPG)	Not Available	Not Available	Not Available
23 - If Additional, please indicate Price			
24 - Integrated child seats/per seat. Attach information details.	Additional	Additional	Additional
24 - If Additional, please indicate Price		640	352
25 - Telescopic steering.	Included	Included	Included
25 - If Additional, please indicate Price			595
26 - Hydraulic brake school bus with air seat and air suspension.	Not Available	Not Available	Not Available
26 - If Additional, please indicate Price			
27 - Hydraulic brake school bus (no air components).	Not Available	Not Available	Not Available
27 - If Additional, please indicate Price			
28 - Adjustable Foot Pedals	Additional	Additional	Not Available
28 - If Additional, please indicate Price		1037	680
29 - Underbody full thru luggage compartments	Additional	Additional	Additional
29 - If Additional, please indicate Price		4709	3590
30 - In-service training for chassis and body maintenance procedures at Purchaser's facility	Additional	Additional	Additional
30 - If Additional, please indicate Price		750	850
31 - Laptop & connectors with applicable programming & software or licensing including training for each style of bus supplied. ABS software	Additional	Additional	Additional
31 - If Additional, please indicate Price		2750	2750
32 - Winter front and bug screen	Additional	Not Available	Not Available
32 - If Additional, please indicate Price		225	
33 - exterior entry door handle	Additional	Additional	Included
33 - If Additional, please indicate Price		35	31
34 - Zonar 2020 system	Additional	Additional	Additional
34 - If Additional, please indicate Price		1521	1150
35- Air operated disc brakes	Additional	Additional	Additional
35 - If Additional, please indicate Price		2043	2700
36 - Vendor added option	ISB 300HP@ 660 LB-FT Torque	Detroit Diesel DD8 350hp/1050tq	
36 - Please indicate Price		3567	-1800
37 - Vendor added option	ISL 300HP@ 860 LB-FT Torque		
37 - Vendor added option		9247	
38 - Vendor added option			
39 - Vendor added option			
40 - Vendor added option			
40 - Vendor added option			1750
40 - Vendor added option			1550
40 - Vendor added option			2650
40 - Vendor added option			2500