

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
Completion Date (Time Period)	days	days	days
Defined Prices:			
SECTION TOTAL:	0	0	0
Combined Prices:			
Separate Prices:			
Alternate Prices:			
Unit Prices:			
Cash Allowances or Other Stipulated Sums:			
Sub Trade List Description:			
Bus Unit Price:			
76 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	122539	116291	113900
70 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	121754	115038	113400
64 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	119756	113998	111800
58 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	118442	112391	110400
52 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	117674	111551	109100
46 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	115361	111180	106700

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
34 passenger Type C. All units and components must meet Federal and Provincial regulations and requirements and current D250.	109379	108870	103800
Base Bus Specifications: Body:			
1. Four (4) additional power supply feeds at body power source.	Yes	Yes	Yes
1. Additional Information		Customer Access Power Block Provided	
2. Crossing arm deactivation switch	Yes	Yes	Yes
2. Additional Information			
3. Full power steering - minimum 18" diameter steering wheel Tilt steering column telescopic	Yes	Yes	Yes
3. Additional Information			
4. HORNS Dual electric	Yes	Yes	Yes
4. Additional Information			
5. Instruments: Dash mounted tach engine hr meter voltmeter speedometer in kmh c/w odometer in km fuel oil pressure transmission temperature engine temperature gauges (2) air pressure gauges	Yes	Yes	Yes
5. Additional Information			
6. Low air warning - light and buzzer	Yes	Yes	Yes
6. Additional Information			
7. Warning light and buzzer for high water temperature / low oil pressure	Yes	Yes	Yes
7. Additional Information			
8. LIGHTS: Front headlights: HD All exterior lights to be LED Cluster lights: front and rear - six (6) in total LED 8 light system non-sequential with master switch	Yes	Yes	Yes
8. Additional Information			
9. Tilt hood for engine access	Yes	Yes	Yes
9. Additional Information			
10. Engine noise insulator (firewall and hood)	Yes	Yes	Yes

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
10. Additional Information			
11. Body insulation including walls ceiling and roof bows - to be fiberglass or equivalent Dust intrusion package on underside of bus up to floor joint	Yes	Yes	Yes
11. Additional Information			
12. WINDSHIELD Laminated safety glass tinted Please state what is offered.	Yes	Yes	Yes
12. Additional Information	4 pc laminated tinted flat glass- simple change of just the damaged section	Tinted safety glass curved and bonded windshield provided	3-Piece Flat
13. WINDOWS Passenger windows split sash type tinted throughout. Thermal where required Driver's window sliding type thermal pane lockable Emergency windows evenly spaced.	Yes	Yes	Yes
13. Additional Information			
14. Exterior Lettering Six Inch - (Purchaser name) both sides at belt line	Yes	Yes	Yes
14. Additional Information	As Specified	As required by the district	As Specified
15. Four Inch - Bus Number two front corners and opposite rear license plate	Yes	Yes	Yes
15. Additional Information			
16. Two Inch - Capacity GVW (Purchaser name) on side panel back of entrance door and side panel below driver.	Yes	Yes	Yes
16. Additional Information			
17. Floor 5/8 plywood subfloor or equivalent secured with screws only (no nails) water-proofed and sealed at joints with silicone sealer including floor to wall seams; floor covering and entry steps	Yes	Yes	Yes
17. Additional Information			
18. Vandal lock for Emergency and Entrance Doors	Yes	Yes	Yes
18. Additional Information			

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
19. Heavy duty entrance door control - air or electric operated Entrance Door must be outward opening	Yes	Yes	Yes
19. Additional Information	Air provided Electric available as an option.	Electric provided air option available	
20. Two (2) auxiliary 6" electric defroster fans Separate switches on panel	Yes	Yes	Yes
20. Additional Information			
21. Driver's dome light on separate switch.	Yes	Yes	Yes
21. Additional Information			
22. Rear dome lights on separate switches (with dimmers if available)	Yes	Yes	Yes
22. Additional Information	Dimmers included	Front and rear half of dome lights are separate switched	
23. AM/FM CD RADIO W/PA Flush mounted speakers to match bus	Yes	Yes	Yes
23. Additional Information	AM/FM MP3 USB SD MMC BT with PA and Driver Remote Mic	AM/FM/CD/AUX/PA	
24. Driver's seat to be deluxe high back air seat fully adjustable - 6-way with lumbar support and fold down arm rests. Air foam rubber filled with heavy duty covering cloth fabric	Yes	Yes	Yes
24. Additional Information			
25. EMERGENCY EQUIPMENT COMPARTMENT Above windshield; all emergency equipment to meet standards	Yes	Yes	Yes
25. Additional Information		FAK and Fire Extinguisher in overhead Triangles on vestibule floor	
26. Mud flaps front Mud flaps rear with rubber fender skirts	Yes	Yes	Yes
26. Additional Information			

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
27. MIRRORS (EXTERIOR) Right and left side primary and convex mirrors; remote adjustable Exterior convex crossovers self-defrosting mounted on right and left sides of hood	Yes	Yes	Yes
27. Additional Information			
28. Two (2) LED stop arms with strobe lights (red) air operated one (1) front mounted (1) rear mounted. Both with wind guards	Yes	Yes	Yes
28. Additional Information			
29. Wet arm windshield wipers intermittent / delay preferred	Yes	Yes	Yes
29. Additional Information			
30. HEATERS Two (2) 80 000 BTU under seat heaters one (1) right front step well heater 50 000 BTU and one (1) front defrost 90 000 BTU Specify if different in Smaller capacity buses..	Yes	Yes	Yes
30. Additional Information		More or less heaters available depending on bus size and district climate	All Sizes Equipped with Specified Requirement
31. Light coloured rubber floor covering and entrance steps. Specify colour.	Yes	Yes	Yes
31. Additional Information	Grey	Grey colour	Grey
32. Seat spacing minimum 24" knee clearance Frame seat belt ready	Yes	Yes	Yes
32. Additional Information			All Seats are convertible to 3-Point Seatbelt Seats with appropriate space.
33. Aluminized side panelling	Yes	Yes	Yes
33. Additional Information		Galvalume interior side walls	
34. 77" minimum interior headroom at highest point. Please state Headroom	Yes	Yes	Yes
34. Additional Information	77" headroom	78" headroom standard	78"
35. Interior mirror - minimum 6" up to 10" x 30" Sun visor - Plexiglas 6" x 30"	Yes	Yes	Yes
35. Additional Information		6" x 30" mirror provided	

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
36. Two (2) roof emergency hatches / vents	Yes	Yes	Yes
36. Additional Information			
37. Right side luggage compartment 84" preferred Specify largest size available based on body size	Yes	Yes	Yes
37. Additional Information	77P & 71P - 102";65P - 102"; 60P - 102"; 53P - 82"; 47P - 58"; 35P - N/A	30 60 or 100 inch depending on Wheel Base	87" 76 & 70p; 79" 64p; 66" 58p; Left Avail on 46p & 34p. 76/70 Max 91"
38. Four (4) additional power supply feeds at body power source.	Yes	Yes	Yes
38. Additional Information		Same as Number 1	
39.Body fully undercoated for noise and enhanced rust protection	Yes	Yes	Yes
39. Please describe what is included and optional levels of protection available including costs	Asphalt emulsion undercoating included. Options: Premium Undercoat Sulfonate Enhanced DTM Modified Wax coating. Replaces the standard asphalt emulsion. Provides approx twice the performance in highly corrosive environments where de-icing chemicals are prevalent. \$350 Premium Fuel Tank Undercoat-Wax based undercoat over std black powdercoat for the fuel tank. Provides increased corrosion resistance. Salt spray hours increase from 240 to 2000 hrs with this coating. \$195	Asphalt emulsion undercoating standard	Standard: Undercoat is a Water Based Asphalt Emulsion. It is applied post body-drop and seat installation. The undercoat is applied manually at the seat installation bolts to ensure adequate coverage. Also Chemguard which is optional for the floor (see below) is standard on the IC Stepwell. Optional: Chemguard is an additional metal treatment that can be optionally selected for the floor. Cost is \$400.00
Base Bus Specifications: Chassis:			
1. Chassis and Body Year	2021 Blue Bird Chassis	Thomas Built Bus 2021	International 2021
2. ENGINE Diesel Minimum 240 HP @ 620 ft/lbs torque c/w engine brake Minimum 6 cylinder turbocharged. Minimum must be met or exceeded State what is supplied in base	Yes	Yes	Yes
2. Additional Information	Cummins B6.7 250HP@660lb.ft. 6.7L Inline 6 Cylinder Turbo Diesel.	Cummins ISB 6.7L 250HP 620 torque Detroit DD5 available	Cummins ISB 250HP/660 LB-FT Torque with VGT Brake

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
3. Automatic Allison 2500 to match engine torque rating with filter and transmission cooler (6 speed option avail) Must include Allison extended warranty for five (5) years and Allison TranSynd fluid	Yes	Yes	Yes
3. Additional Information	6-Spd Allison Avail Optionally @ N/C	7 year Warranty on 2500 series transmission	7 Yr/Unlimited KM Warranty @ N/C 6-Spd Avail @ N/C
4. Wheelbase up to 280" - Specify for Each body size	Yes	Yes	Yes
4. Additional Information	35P - 169" 47P - 189" 53P - 217" 60P/65P - 252" 71P - 273" 77P - 280"	36p =158" 47p & 53p =199" 59p =219" 65p =238" 71p =259" 77p =279"	76p: 276" 70p: 276" 64p: 254" 58p: 236" 52p: 217" 46p: 193" 34p: 169"
5. Remote air tank drains	Yes	Yes	Yes
5. Additional Information			
6. Rear tow hooks	Yes	Yes	Yes
6. Additional Information			
7. Wheels - Disc hub piloted	Yes	Yes	Yes
7. Additional Information			
8. Tires - Six (6) -11R22.5 Michelin XZE 2 preferred	Yes	Yes	Yes
8. Additional Information			
9. Rear Axle - Capacity: 19 500 lb Maximum speed required: 110 kmh Cruise control set at 100 kmh 21 000 lb air ride suspension Specify Lighter axle for smaller capacity bus if warranted.	Yes	Yes	Yes
9. Additional Information	21 000 lb rear axle included. Credit applied if lighter axle selected	21 000 Rear axle standard. Lighter axle available if desired by district.	17 800 Axle Avail for <52p Credit if Selected
10. FRONT AXLE 10 000 lb minimum 10 000 lb spring suspension Specify Lighter axle for smaller capacity bus if warranted.	Yes	Yes	Yes
10. Additional Information	10 000 lb front axle included. Credit applied if lighter axle select		8 000 Axle Avail for <52p Credit if Selected

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
11. AIR BRAKES S cam W/ABS Min. 13.2 cfm compressor Spring brakes for emergency and parking Auto slack adjustors long stroke Air dryer 16-1/2 x 5 Front 16-1/2 x 7 Rear backing plates	Yes	Yes	Yes
11. Additional Information			
12. ALTERNATOR Heavy duty 200 amp alternator minimum State size and make	Yes	Yes	Yes
12. Additional Information	280 amp brushless Leece-Neville		Leece-Neville 210 Amp
13. BATTERY Three (3) Group 31 batteries to be mounted in body side compartment	Yes	Yes	Yes
13. Additional Information			
14. Back-up alarm 97 dB minimum	Yes	Yes	Yes
14. Additional Information			
15. High capacity dry type air cleaner c/w air restriction gauge to be mounted on dash or air intake	Yes	Yes	Yes
15. Additional Information		Intake mounted restriction gauge.	
16. Electric block heater (min 1200 watt) and in pan Oil Pan heater (350 watt)	Yes	Yes	Yes
16. Additional Information	750 watt engine block heater per Cummins	750 watt per Cummins	
17. Diesel fired coolant pre heater (15-20 000 BTU) with 24 hour 7 day programmable timer	Yes	Yes	Yes
17. Additional Information			
18. Heavy Duty hoses to meet current coolant standards.	Yes	Yes	Yes
18. Additional Information			
19. Heated fuel water separator with primer pump installed in engine compartment	Yes	Yes	Yes
19. Additional Information			
20. Oil lubed front wheel bearings or sealed bearings	Yes	Yes	Yes
20. Additional Information			

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
21. SERVICE MANUAL AND DIAGNOSTIC SOFTWARE Service manual for engine and chassis Engine and body diagnostics software or licensing if web based.	Yes	Yes	Yes
21. Additional Information	Service Manual DVD supplied in dash diagnostics. Online access to all docs	Parts and Service info on line. Engine diagnostic software 1 per district	
22. Supply line setting ticket	Yes	Yes	Yes
22. Additional Information			
23. Heater cut off valve at engine	Yes	Yes	Yes
23. Additional Information			
24. FUEL TANK Minimum 60 gallon capacity (226 liter) Located aft of rear axle and between frame rails (filler on right side) Non-Locking Fuel tank door.	Yes	Yes	Yes
24. Additional Information			
Options Prices:			
1 - One (1) additional spare tire mounted	Additional	Additional	Additional
1 - If Additional please indicate the Price	734	775	775
2 - Air horn roof mounted	Additional	Additional	Additional
2 - If Additional please indicate the Price	147	129	195
3 - Current Gatekeeper digital video system supplied and installed with 2 cameras	Additional	Additional	Additional
3 - If Additional please indicate the Price	1838	2038	2250
4 - Current Seon digital video system supplied and installed with 2 cameras	Additional	Additional	Additional
4 - If Additional please indicate Price	1989	2088	1890
5 - Pre-wiring for 2-way radio and antenna power and ground thru noise suppression switch.	Additional	Additional	Additional
5 - If Additional please indicate Price	30	252	90
6 - Driver's storage compartment overhead left side	Additional	Included	Additional
6 - If Additional please indicate Price	127		210

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
7 - Installed Zonar current GPS Tracking and Vehicle Diagnostics System with EVIR handheld device and all accessories. Include pricing for each handheld device available	Additional	Additional	Additional
7 - If Additional please indicate Price	895	855	750
8 - Zonar current Fleet GPS Tracking and Vehicle Diagnostics System Installed	Additional	Included	Additional
8 - If Additional please indicate Price	616		525
9 - Driver's clipboard storage accessible from drivers seat	Additional	Not Available	Included
9 - If Additional please indicate Price	15		
10 - Traction control through ABS	Additional	Included	Included
10 - If Additional please indicate Price	446		
11 - Limited Slip Rear Axle	Not Available	Not Available	Not Available
11 - If Additional please indicate Price			
12 - Driver controlled differential lock	Additional	Additional	Not Available
12 - If Additional please indicate Price	881	850	
13 - Automatic Greasers Minimum 12 grease points	Additional	Additional	Additional
13 - If Additional please indicate Price	3450	3236	3450
14 - Allison 3000 Series automatic transmission	Additional	Additional	Additional
14 - If Additional please indicate Price	4339	4896	5500
15 - Acoustic ceiling panels throughout	Additional	Additional	Included
15 - If Additional please indicate Price	618	620	
16 - Winter front and bug screen	Additional	Additional	Additional
16 - If Additional please indicate Price	225	153	325
17 - Webasto Scholastic heater	Additional	Additional	Additional
17 - If Additional please indicate Price	1344	1800	1620
18 - 10R22.5 Tires instead of base 11R22.5	Additional	Additional	Additional
18 - If Additional please indicate Price	79	190	1
19 - Interior mirror - 10" x 30" Mirror adjustable no windshield obstruction	Additional	Not Available	Additional
19 - If Additional please indicate Price	20		60
20 - Interior-Exterior intercom	Additional	Additional	Additional
20 - If Additional please indicate Price	40	149	70

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
21 - Emergency roof hatch vent with exhaust fan	Additional	Additional	Additional
21 - If Additional please indicate Price	350	386	195
22 - Tinted Windows throughout	Included	Included	Included
22 - If Additional please indicate Price			
23 - Laptop and connectors with applicable programming and software including training for each style of bus purchased. ABS software.	Additional	Additional	Additional
23 - If Additional please indicate Price	2750	2750	2500
24 - Wheelchair lift specify OEM in attached documentation. Supply and install wheelchair lift with one chair position across from lift inclusive of tie down system includes Ricon lift Qstraint tie down system and floor pockets for one chair	Additional	Additional	Additional
24 - If Additional please indicate Price	8393	6695	6980
25 - Track seating per wheelchair space	Additional	Additional	Additional
25 - If Additional please indicate Price	885	840	885
26 - Air operated disc brakes	Additional	Additional	Additional
26 - If Additional please indicate Price	1833	2550	1500
27 - Integrated Child Seats/Per Seat - Attach information details	Additional	Additional	Additional
27 - If Additional please indicate Price	694	370	595
28 - Adjustable Foot Pedals	Additional	Additional	Additional
28 - If Additional please indicate Price	1005	715	795
29 - Telescopic Steering	Included	Included	Additional
29 - If Additional please indicate Price			375
30 - Hydraulic brake school bus with air seat and air suspension	Additional	Additional	Additional
30 - If Additional please indicate Price	1508	555	1465
31 - Hydraulic brake school bus (no air components)	Additional	Additional	Additional
31 - If Additional please indicate Price	3145	1000	1
33 - Engine Upgrade - Propane (LPG) Please attach any supporting documentation.	Additional	Additional	Additional

Type C bidReport 2020

	Dynamic Specialty Vehicles	First Truck Centre Vancouver	Western Canada IC Bus Inc.
33 - If Additional please indicate Price	4631	19398	7000
34 - Engine Upgrade - Compressed Natural Gas (CNG). Please attach any supporting documentation.	Not Available	Additional	Not Available
34 - If Additional please indicate Price		45000	
35 - In-service training for chassis and body maintenance procedures at Purchaser's facility	Additional	Additional	Additional
35 - If Additional please indicate Price	800	850	800
36 - Interior mirror 8 X 30 inches adjustable no windshield blockage	Not Available	Additional	Additional
36 - If Additional please indicate Price		35	60
37 - Door handle on exterior of entry door	Additional	Additional	Included
37 - If Additional please indicate Price	35	35	
38 - Move to one body size larger with same seat count for increased knee room	Additional	Additional	Additional
38 - If Additional please indicate Price	784	1310	700
39. Pedestrian Detection System	Additional	Not Available	Not Available
39. If Additional please indicate Price	2450		
40. Stop Arm Camera	Additional	Additional	Additional
40. If Additional please indicate Price	480	450	450
41 - Vendor added option	Gas Engine - Ford V10 6.8L 3 Valve with Roush CleanTech. 5 Year unlimited warranty	Detroit Diesel DD5 Engine 240HP/660 torque	Gasoline-Powered 8.8l with Allison 2500 Transmission
41 - Please indicate price	-7214	-725	-4500
42 - Vendor added option	Predictive Stop Arm - see attached Option 42		Bendix Wingman Advanced Collision Mitigation System \$995//Bendix Wingman Fusion Collision Mitigation with Lane Departure \$3150 Details in Attachment
42 - Please indicate price	4356		995
43. Vendor added option			
43 - Please indicate price			
Additional information:			
Please add addition boxes to provide us with information not already specified.			